

# DEXA TRESORTIL

## Suppositories

Antirheumatic and Antiarthritic Agent

## Formula per suppository

Indomethacin	100.0 mg
Dexamethasone	0.5 mg

DEXA TRESORTIL is a combination of two well-established and proven anti-inflammatory components with analgesic and antipyretic properties which are highly effective in the treatment of rheumatoid arthritis and usually produce quick relief after the initial dose. Side effects in form of nausea, headache and dizziness may occur, but they rarely require discontinuation of therapy. DEXA TRESORTIL is indicated in cases of rheumatoid arthritis requiring in addition to indomethacin a small dose of corticosteroid.

## Indications

Rheumatoid arthritis, infective arthritis, osteoarthritis, spondylosis, disk lesions, degenerative joint disease of the hip, ankylosing spondylitis, arthritis with psoriasis, gout, fibrositis, lumbago, torticollis, bursitis, perispondylitis, epicondylitis, neuritis and neuralgia, eye affections of rheumatic origin, pain and inflammation after dental surgery. DEXA TRESORTIL is contraindicated in patients with active peptic ulcer and in asthmatics, sensitive to acetylsalicylic acid or indomethacin. The safety of DEXA TRESORTIL for children and for use during pregnancy or lactation has not been established.

## Dosage

Unless otherwise prescribed by the physician, 1-2 suppositories daily.

Maintenance dosage: 1 suppository.

Dip suppositories into cold water for some time before use.

Do not swallow.

## Storage

Store in a cool place. Keep out of reach of children.

## Packing

In boxes of 5 suppositories.

## Sole agents

SADCO S.A.R.L.

E. DENK OHG, 81675 MUENCHEN  
Prinzregentenstrasse 79

Made in Germany

Vers. 1211/02.2004