

PROTAGENT

Active substance : povidone
Eye Drops

COMPOSITION:

1 ml contains
active constituent:
20 mg povidone
preservative agent:
50 µg benzalkonium chloride.

INDICATIONS:

Protection of the eye from irritation and inflammation by deficient and defective tear production, especially in "dry eye" conditions (keratoconjunctivitis sicca), protection of the corneal surface, e.g. in rubbing of the upper eye lid.

CONTRAINDICATIONS:

Hypersensitivity to any of the constituents of this product.

SIDE EFFECTS:

Very rarely cases of hypersensitivity may occur.

INTERACTIONS WITH OTHER DRUGS:

None known.

DOSAGE AND ADMINISTRATION:

Unless otherwise prescribed, instill 1 drop into the affected eye 4-5 times daily. The administration of Protagent Eye Drops is shown below.

SPECIAL WARNINGS:

Contact lens wearers should remove the contact lenses before the instillation and replace them 15 minutes after the instillation. Protagent Eye Drops should not be used after the expiry date printed on the label. Protagent Eye Drops should be discarded one month after first opening. Store at room temperature. Medicines should be kept out of the reach of children. For more information, please consult the doctor or pharmacist.

Manufacturer:
ALCON-COUVREUR
B-2870 Puurs (Belgium)



ADMINISTRATION OF PROTAGENT:

The safety seal on the 10 ml dropper bottle guarantees intact original filling and sterility of the product.

The seal is broken with the first opening of the bottle.

Instill 1 drop into the conjunctival sac without touching the eye or the eyelid margin with the tip of the bottle.



Take the dropper bottle between thumb and forefinger and approach it carefully to the eye. Lean your head back slightly, look up and pull away the lower eyelid with your forefinger.

Close the eyes for some seconds, then blink several times to distribute the drop evenly on the eye.



PROPERTIES:

Protagent Eye Drops represent an artificial tear preparation which remains on the eye surface for a prolonged time. A lubricating and protective film is formed over the surface of the cornea and the conjunctiva. It prevents irritations of the eye by deficient or defective tear production ("dry eye", keratoconjunctivitis sicca) as well as lesions of the cornea by rubbing of the eye lid.

HOW SUPPLIED:

10 ml Protagent Eye Drops.

© 2009 Alcon, Inc.

Manufacturer:

ALCON-COUVREUR

B-2870 Puurs (Belgium)

08-2009



34960-3