# **CLOFEN®**

## Creamagel 1%

## Percutaneous Anti-inflammatory Agent

## Composition:

**CLOFEN Creamagel** contains diclofenac diethylamine salt equivalent to diclofenac sodium 1 per cent.

## Properties:

**CLOFEN Creamagel** is an anti-inflammatory and analgesic preparation intended for external use.

The active substance of **CLOFEN Creamagel**, diclofenac diethylamine, is a non-steroidal anti-inflammatory agent, and it is supplied in a novel dosage form which, when applied to the skin, ensures excellent penetration and accumulation of the active component in the underlying tissue. The first response is a soothing and cooling effect, followed by relief from both acute and chronic inflammatory reactions.

In the presence of inflammation of traumatic or rheumatic origin, **CLOFEN Creamagel** elicits a clinical response characterised by a marked decrease in inflammatory swelling. **CLOFEN Creamagel** also provides an effective relief from tenderness and pain on movement.

### Indications:

**CLOFEN Creamagel** is effective in the local treatment of :

- Traumatic inflammation of the tendons, ligaments, muscles and joints e.g. due to sprains, strains and bruises.
- Localized forms of soft-tissue rheumatism, e.g. tendovaginitis, shoulder-hand syndrome and bursitis.
- Localized rheumatic diseases, e.g. osteoarthrosis of peripheral joints and of the vertebral column of periarthropathy.

## Dosage and application:

Depending on the size of the painful site to be treated, an adequate amount (2-4 gm) of **CLOFEN Creamagel** is applied to the affected parts and rubbed in gently 3-4 times daily.

**CLOFEN Creamage!** may also be used as accompanying treatment together with other dosage forms of **CLOFEN**.

#### Contraindications:

Hypersensitivity to diclofenac sodium or any other nonsteroidal anti-inflammatory agent is a contraindication.

#### Precautions:

CLOFEN Creamagel should not be applied to broken skin injuries, but rather only to intact skin surfaces. Contact with the eyes or with mucous membranes should be avoided.

CLOFEN Creamagel is not recommended for use by pregnant women.

#### Side effects:

CLOFEN Creamagel is usually well tolerated. Occasionally, itching, reddening or smarting of the skin or outbreak of a skin rash may occur.

Photosensitivity reactions have been reported in isolated cases.

Systemic side effects due to diclofenac sodium might occur when CLOFEN Creamagel is applied into large areas and over a prolonged period.

#### Presentation:

Tubes of 20 or 50 gm.

**Note: CLOFEN** is also available in the form of tablets (25, 50 and 100 mg) and suppositories (12.5, 25, 50 and 100 mg).

#### THIS IS A MEDICAMENT

- Medicament is a product which affects your health, and its consumption contrary to instructions is dangerous for your
- Follow strictly the doctor's prescription, the method of use and the instructions of the pharmacist who sold the medicament.
- The doctor and the pharmacist are experts in medicine, its benefits and risks.
- Do not by yourself interrupt the period of treatment prescribed for you.
- Do not repeat the same prescription without consulting your doctor.

Keep all medicines out of the reach of children.



Produced by: **Julphar** Gulf Pharmaceutical Industries, Ras Al Khaimah, U. A. E.