

Gyno-Mikozal

Vaginal Ovules

Composition :

Gyno-Mikozal 200 : Each vaginal ovule contains miconazole nitrate 200 mg.

Gyno-Mikozal 400 : Each vaginal ovule contains miconazole nitrate 400 mg.

Properties :

Gyno-Mikozal combines a potent antifungal activity against common dermatophytes and yeasts with an antibacterial activity against certain gram-positive bacilli and cocci.

In general, **Gyno-Mikozal** exerts a very rapid relief from pruritus, a symptom that usually accompanies dermatophyte and yeast infections.

Gyno-Mikozal vaginal ovules do not stain skin or clothes.

Indications :

Local treatment of vulvovaginal candidiasis and superinfection due to gram-positive bacteria.

Dosage and Administration :

One 200 mg ovule per day for one week, or one 400 mg ovule per day for 3 days. The ovules should be inserted deeply into the vagina at bedtime. The entire treatment should be completed, even when the symptoms disappear rapidly. It should be continued during menstruation.

If needed, a further course of treatment can be given.

Contra-Indications :

Gyno-Mikozal is contra-indicated in patients who are hypersensitive to miconazole or any other ingredient of the vaginal ovule.

Precautions :

Local irritation or an allergic reaction might be experienced after the use of **Gyno-Mikozal**. In this case, treatment should be discontinued, general hygienic measures should be observed to control sources of infection.

Gyno-Mikozal is better to be avoided during pregnancy, especially the first trimester, unless it is recommended by the physician.

Caution should be exercised when using **Gyno-Mikozal** during breast feeding.

Side Effects :

Gyno-Mikozal vaginal ovules are usually well tolerated.

Local irritation, pruritus and burning sensation have been reported in few cases, especially at the beginning of treatment.

Presentation :

Gyno-Mikozal 200 mg : Packs of 7 ovules

Gyno-Mikozal 400 mg : Packs of 3 ovules

THIS IS A MEDICAMENT

- Medicament is a product which affects your health, and its consumption contrary to instructions is dangerous for you.
- Follow strictly the doctor's prescription, the method of use and the instructions of the pharmacist who sold the medicament.
- The doctor and the pharmacist are experts in medicine, its benefits and risks.
- Do not by yourself interrupt the period of treatment prescribed for you.
- Do not repeat the same prescription without consulting your doctor.

Keep all medicines out of the reach of children.



Produced by: **Julphar**
Gulf Pharmaceutical Industries,
Ras Al Khaimah, U. A. E.