

Zeta®

Composition:

Zeta Ointment: Each gram contains 20 mg of sodium Fusidate BP.

Zeta Cream: Each gram contains 20 mg Fusidic Acid BP.

Properties:

Zeta is a brand name of Fusidic Acid cream and Sodium Fusidate ointment, which are antibiotics obtained from *Fusidium coccineum*. They are active against Staphylococci including penicillin resistant strains and a number of Gram positive bacteria.

The antibacterial activity of Fusidic acid and sodium Fusidate is due to the inhibition of bacterial protein synthesis.

Ability of Fusidic acid and sodium Fusidate to penetrate the intact skin and their antimicrobial activity make **Zeta** topical preparations therapeutically effective in skin infections.

Indications:

Zeta ointment and cream are mainly indicated for the treatment of skin infections.

The most important indications are:

- Impetigo.
- Boils.
- Hidradenitis.
- Infected wounds.
- Sycosis barbae.
- Paronychia.
- Hair folliculitis.
- Carbuncles.
- Erythrasma.

Being a vanishing and non-staining preparation, **Zeta** cream is more cosmetically acceptable in case of face and scalp infections.

Application:

Apply to the affected area 2-3 times daily, for a period of 7 days or as prescribed by medical practitioner.

Precautions:

Care should be taken while applying **Zeta** ointment or cream near eye region, as these preparations may cause irritation to eye.

Side effects:

Zeta ointment and cream are usually well tolerated. However, a very low hypersensitivity reaction to Fusidic Acid or Sodium Fusidate or any of their base components may occur. In such case discontinue the treatment.

Pharmaceutical Precautions:

Keep at room temperature (15-30 °C).

Presentation:

Zeta Ointment: Tube of 15 g.

Zeta Cream: Tube of 15 g.

® is a trademark.

THIS IS A MEDICAMENT

- Medicament is a product which affects your health and its consumption contrary to instructions is dangerous for you.
- Strictly follow the doctor's prescription, the method of use and the instructions of the pharmacist who sold the medicament.
- The doctor and the pharmacist are experts in medicine, its benefits and risks.
- Do not by yourself interrupt the period of treatment prescribed for you.
- Do not repeat the same prescription without consulting your doctor.

Keep medicament out of reach of children.

Council of Arab Health Ministers.
Union of Arab Pharmacists.



Manufactured by:

TABUK PHARMACEUTICAL MANUFACTURING COMPANY,
P.O. Box 3633, TABUK, SAUDI ARABIA.