# 3M AVAGARD- chlorhexidine gluconate and alcohol lotion 3M Health Care

\_\_\_\_\_

#### **3M AVAGARD**

### chlorhexidine gluconate and alcohol lotion

#### **Drug Facts**

## **Active ingredients**

Chlorhexidine gluconate 1% w/w Ethyl alcohol 61% w/w

## Purpose

Antiseptic

Antiseptic

#### Uses

- **surgical hand antiseptic:** significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel hand antiseptic:** hand rub to help reduce bacteria that potentially can cause disease
- recommended for repeated use

## Warnings

## For external use only. Flammable, keep away from fire or flame.

Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you are allergic to chlorhexidine gluconate or any other ingredient in this product

## When using this product

- do not touch the eye with hands that have been treated with this preparation
- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye.
- if contact occurs, rinse with cold water right away
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

• Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

## Surgical hand antiseptic

- apply to clean, dry hands and nails. For the first use of each day, clean under nails with a nail stick.
- dispense one pump (2 mL) into the palm of one hand
- dip the fingertips of the opposite hand into the lotion and work it under the nails
- spread the remaining lotion over the hand and up to just above the elbow
- using another 2 mL of lotion, repeat with the other hand
- dispense another 2 mL of lotion into either hand; reapply to all aspects of both hands up to the wrists
- allow to dry before donning gloves

# Healthcare personnel hand antiseptic

- apply to clean, dry hands and nails
- dispense one pump (2 mL) into the palm of one hand
- paying particular attention to the spaces between the fingers and under fingernails, apply the lotion evenly to cover both hands up to the wrists
- allow to dry without wiping

# Other information

store at 20-25°C (68-77°F)

## **Inactive ingredients**

beheneth 10, behenyl alcohol, C20-40 pareth-24, cetyl palmitate, diisopropyl dimer dilinoleate, dimethicone, glycerin, polyethylene glycol, squalane, water

# Questions?

Call 1-800-228-3957

Principal Display Panel – 500mL Bottle Label

**3M** 

NDC 17518-051-01

# Avagard™

# (Chlorhexidine Gluconate 1% Solution and Ethyl Alcohol 61% w/w)

# Surgical and Healthcare Personnel Hand Antiseptic Iwith IMoisturizers

Peel to read Drug Facts Panel before use

Made in U.S.A. for 3M Health Care, 2510 Conway Ave., St. Paul, MN 55144

1-800-228-3957 www.3M.com/infectionprevention © 2017, 3M. All rights reserved.

The shape and colors of the bottle and wall bracket are trademarks of 3M.

Patent: 3M.com/Patents MAL10110039XC

Flammable, keep away from fire or flame, heat, sparks and sources of static discharge. LOT 0000000000

hlorhexidine gluco	nute und utcom					
Product Informa	ation					
Product Type		HUMAN OTC DRUG Item Code (Sou		urce) NDC:17518-051		
Route of Administr	ation	TOPICAL				
Active Ingredie	nt/Active Moi	ety				
Ingredient Name Basis of Strength						Strength
Chlorhexidine Gluconate (UNII: MOR84MUD8E) (Chlorhexidine - UNII:R4KO0D				Chlorhexidine Gluconate		8.3 mg in 1 mL
Alcohol (UNII: 3K9958V90M) (Alcohol - UNII:3K9958V90M)				Alcohol		506.3 mg in 1 m
Inactive Ingredi	ents					
Ingredient Name						Strength
beheneth-10 (UNII: 3	13S43DM16)					o trong tr
docosanol (UNII: 9G						
cetyl palmitate (UNI						
dimethicone (UNII: 9	2RU3N3Y1O)					
glycerin (UNII: PDC6	A3C0OX)					
POLYETHYLENE GI	LYCOL, UNSPEC	IFIED (UNII: 3WJQ0SDW1A)				
squalane (UNII: GW8	9575KF9)					
water (UNII: 059QF01	KO0R)					
Packaging						
# Item Code		Package Description	Mark	eting Start Date	Marl	ceting End Dat
	8 in 1 CASE		06/14/	2001		
			a du at			
<b>1</b> NDC:17518-051-01	500 mL in 1 BOT	TLE; Type 0: Not a Combination Pr	oduci			
NDC:17518-051-01		TLE; Type 0: Not a Combination Pr	06/14/	2001		
<ul> <li>NDC:17518-051-01</li> <li>NDC:17518-051-04</li> </ul>	4 in 1 CASE	TLE; Type 0: Not a Combination Pr TTLE; Type 0: Not a Combination F	06/14/	2001		
<ul> <li>NDC:17518-051-01</li> <li>MDC:17518-051-04</li> </ul>	4 in 1 CASE		06/14/	2001		
<ul> <li>NDC:17518-051-01</li> <li>NDC:17518-051-04</li> <li>NDC:17518-051-04</li> </ul>	4 in 1 CASE 1200 mL in 1 BO		06/14/	2001		
<ul> <li># Item Code</li> <li>NDC:17518-051-01</li> <li>NDC:17518-051-04</li> <li>NDC:17518-051-04</li> <li>Marketing Im</li> <li>Marketing Catego</li> </ul>	4 in 1 CASE 1200 mL in 1 BO formation		06/14/ roduct	2001 e ting Start Date	Mark	ceting End Date

Labeler - 3M Health Care (006173082)