

# Xailin<sup>®</sup> Fresh

Carmellose 0.5% w/v Eye Drops Preservative Free Single Dose Units

## EN Instruction for use

It is important to read this leaflet carefully before using Xailin Fresh Eye Drops. The information provided summarises the important points about the product but if you have any further questions then please ask your doctor, pharmacist or optician.

### What is Xailin Fresh?

Xailin Fresh is an eye drop containing Carmellose Sodium 0.5% w/v in 30 x 0.4ml or 5 x 0.4ml (sample) preservative free single dose units that is sterile until opened.

### Composition:

Xailin Fresh Eye Drops contain Carmellose Sodium 0.5% w/v, Sodium Chloride, Calcium Chloride Dihydrate, Potassium Chloride, Magnesium Chloride Hexahydrate, Sodium Lactate Solution, Sodium Hydroxide, Hydrochloric Acid and Water for Injection.

### When should it be used?

When your eyes become red and sore, begin to itch, feel gritty or you feel burning then you have probably developed a dry eye sensation, which needs relief with Xailin Fresh Preservative Free Single Dose Units. Carmellose, the lubricating ingredient alleviates the symptoms of dry eye sensation with its soothing drop. Xailin Fresh may also be used as contact lens hydrating solution.

### How to use:

1. Detach the vial to be used
2. To open, twist and pull the tab to remove
3. Tilt your head backwards and look upwards
4. Gently pull down the lower lid of the eye, insert one drop of Xailin Fresh into the gap between your eye and eyelid and blink a few times to spread the drops evenly over the surface of the eye
5. Repeat the process for the other eye if you have been told to use Xailin Fresh in both eyes
6. Discard the vial after single use

### Mode of use:




Detach a single vial



Twist and pull the tab



Gently squeeze the vial to instill the drops



Discard after use

### How much to use?

The usual dosage is 1 drop to be instilled 2 to 4 times a day as needed or as directed by your healthcare practitioner. You can also apply 1 to 2 drops directly on to the contact lens before application. Your healthcare practitioner may advise you to use this product in a different way, so follow their directions about when and how to use this product and read the label. No dosage adjustment is required in children.

### Precautions and warnings:

- This product is for external ophthalmic use only. Do not swallow
- Do not use if the vial is broken
- Do not use if you are allergic to any of the ingredients
- Consult your doctor, pharmacist or optician if you are pregnant or breast-feeding
- If you are unsure about how to use Xailin Fresh talk to your doctor, pharmacist or optician
- If your condition persists please consult your doctor, pharmacist or optician
- Do not touch the tip of the vial with your eye or any surface
- Discard the single dose unit after first opening
- Do not share Xailin Fresh Eye Drops with any other person
- Leave at least 30 minutes between administrations of any other ophthalmic drugs
- Xailin Fresh Eye Drops can cause blurring of vision after application. Wait until your vision is clear before driving or using machines
- Keep out of the reach and sight of children
- Store between 1°C and 25°C
- Do not use after the expiry date shown on the carton or printed on the label
- Dispose of the used vial according to your local waste management regulations

nicox  Distributed by Nicox Pharma, CS10313, Sophia Antipolis, 06560 Valbonne, France - nicoxpharma@nicox.com

 Medicom Healthcare Ltd., 235 Hunts Pond Road, Fareham, Hampshire, PO14 4PJ, U.K.



Store between 1°C and 25°C



Do not re-use



Keep away from sunlight



Caution, see instructions for use



Sterilized using aseptic processing techniques



Consult Instructions for use

Xailin is a trademark of Nicox  
Last revision of the text: October-2013

 0120