

COMPOSITION PER CAPSULE

Omeprazole (D.C.I.).....	20 mg
Excipients.....	q.s.

PROPERTIES

Anti ulcerative drug/Proton pump inhibitor.

THERAPEUTIC INDICATIONS

- Active duodenal ulcer.
- Active gastric ulcer.
- Oesophagitis due to gastro-oesophageal reflux (presence of erosions or ulcerations due to oesophagitis must be documented by endoscopy).

CONTRA-INDICATIONS

DO NOT USE this drug in case of breast-feeding.

If in doubt, it is essential to request the opinion of your doctor.

WARNINGS

Pregnancy: Not recommended during pregnancy especially during the 1st trimester.

PRECAUTIONS FOR USE

Use this medication WITH CAUTION in patients with hepatic insufficiency.

If in doubt, do not hesitate to consult your doctor.

KEEP ALL MEDICINES OUT OF THE REACH OF CHILDREN

ADVERSE EFFECTS

Rare cases of headache, diarrhoea, itching, flushing and feelings of dizziness have been reported. These manifestations are usually temporary and require treatment to be withdrawn only in a very few cases.

Should any of the above or another abnormal reaction occur contact your doctor as soon as possible.

DOSAGE AND MODE OF ADMINISTRATION

The usual dosage is one capsule daily which should be taken in the morning before or during breakfast.

IN ALL CASES YOU SHOULD COMPLY STRICTLY WITH YOUR DOCTORS PRESCRIPTION.

ORAL ROUTE

INCOMPATIBILITIES

None known to date.

INTERACTIONS WITH OTHER DRUGS

In order to avoid any possible interactions when taking more than one drug, all treatments you are taking must be routinely reported to your doctor or pharmacist.

DELIVERY CONDITIONS

This medication is supplied on prescription.

This drug has been prescribed for you personally in specific circumstances.

- It may not be adapted to another case.
- Do not re-use it except on medical advice.
- Do not recommend it to another person.

STORAGE CONDITIONS

STORE AWAY FROM HEAT.

DO NOT EXCEED THE EXPIRY DATE CLEARLY PRINTED ON THE PACKAGE.

PRESENTATION

Box of 7 / 14 / 28 capsules.