



**Cough-relieving - Mucolytic - Broncho-spasmodic - Expectorant.**

**Alcohol-free • sugar-free • Artificial Color- free.**

Active ingredient:

DRIED IVY LEAF EXTRACT (*Hedera helix*)

**Composition:** Each 5 ml contains: Ivy standardized extract (10% hederacoside-C): 37 mg, Potassium sorbate (preservative): 6.7mg.

**Indications:** Acute catarrh (inflammation) of the respiratory tract accompanied by coughing; symptomatic treatment of chronic inflammatory bronchial diseases.

**Contraindications:** Due to the content of sorbitol in the product, treatment should be carried out only after consultation with a doctor in the event of fructose intolerance.

**Pregnancy and Breast-feeding:** Medicines should generally be taken during pregnancy and breast-feeding only after having previously consulted a doctor.

**Side effects:** In rare cases, **ivy** Cough Syrup may have a laxative effect due to the content of sorbitol in the product.

Interactions with other drugs: adverse effects have not become known with the simultaneous ingestion of **ivy** Cough Syrup and other medicines. This preparation can therefore be combined safely with other medicines, such as antibiotics for example.

**Dosage guidelines and method of use:** unless otherwise prescribed, infants and small children take 1 teaspoonful 3 times daily, schoolchildren and adolescents take 2 teaspoonful 3 times daily and adults take 2-3 teaspoonful of solution 3 times daily.

Shake the bottle well each time before use!

**Duration of use:** Duration of treatment depends on the type and severity of the clinical picture; however, treatment should last for at least one week even in minor inflammations of the respiratory tract.

Treatment with **ivy** Cough Syrup should be maintained for 2-3 days after symptoms have subsided, in order to ensure lasting success of therapy. In the event of persistent complaints or the appearance of shortness of breath, fever as well as purulent or bloody expectoration, a doctor should be consulted immediately.

**Ivy - natural medicine:** For hundreds of years, many people have trusted in the effective healing power of wild-growing medicinal ivy for the treatment of inflammatory illness of the respiratory tract.

**Ivy - cough's solution:** **ivy** liquefies mucus, relaxes convulsive cough and calms coughing. In this way, **ivy** combats the typical complaints of bronchitis: increased formation of viscous mucus, shortness of breath and irritation of the throat. Troublesome and painful coughing is calmed, but not blocked, which is important for being able to cough up the mucus and thereby allow for trouble-free deep breathing.

**Ivy - for the whole family:** **ivy** Cough Syrup is free from alcohol, sugar and colourings. Therefore, it is particularly suitable for children, but at the same time it is also an effective medicine for adults for fighting against the complaints of bronchial illness.

**Storage instructions and shelf life:** Store below 30°C. **ivy** Cough Syrup should not be used after the expiry date.

**Pack size:** Bottle of 100 ml syrup.

**Note:** **ivy** Cough Syrup contains a plant extract as the active ingredient and its color can therefore occasionally vary, like all preparations made from natural ingredients. This, however, does not affect the therapeutic effectiveness of the preparation.

- A medicament is a product that affects your health, and its consumption contrary to instructions is dangerous for you.
- Follow strictly the doctor's prescription, the method of use and the instructions of the pharmacist who dispensed the medicament.
- The doctor and the pharmacist are experts in medicine.
- Do not by yourself interrupt the period of treatment prescribed for you.
- Do not repeat the same prescription without consulting your doctor.
- Keep medicaments out of the reach of children.

COUNCIL OF ARAB HEALTH MINISTRIES  
UNION OF ARAB PHARMACISTS

Produced by:



Jordan Sweden Medical and Sterilization Co.

Natur - Jordan

الأردنية السويدية للمنتجات الطبية والتعقيم م. ناعور - الأردن

[www.joswe.com](http://www.joswe.com)

P225/12-07-2006/RO