

Dulsana[®] with Codeine

Cough Syrup

COMPOSITION

Each teaspoonful (5 ml) contains :

Carbinoxamine maleate -----	2.00 mg
Ephedrine hydrochloride -----	4.00 mg
Ammonium chloride -----	100.00 mg
Codeine phosphate-----	10.00 mg
Menthol -----	0.25 mg
Excipient q.s.-----	5 ml

in a flavoured syrup base.

ACTION

Dulsana[®] with Codeine cough syrup is an effective, safe and pleasant-tasting sedative cough preparation.

Carbinoxamine maleate, an antihistamine, has local anesthetic and mild sedative properties.

Ephedrine hydrochloride is a decongestant and bronchodilator.

Ammonium chloride aids in loosening and liquefying the thick tenacious secretions which often accompany chest colds.

Menthol is cooling, soothing and has a mild local analgesic action.

INDICATIONS

Dulsana[®] with Codeine cough syrup is indicated for the relief of cough due to colds or allergy, and especially distressing dry unproductive cough.

DOSAGE

Adults : One or two teaspoonful (5-10ml) three or four times daily.

Children : Six years or older one half to one teaspoonful three times daily as directed by the physician (SEE CAUTIONS).

CONTRAINDICATION

Hypersensitivity to any of the components of this product.

CAUTIONS

A persistent cough may be a sign of a serious condition.

Dulsana[®] with Codeine cough syrup may cause drowsiness. Patients subject to this effect should avoid driving a car, operating intricate machinery or doing work that requires fine precision.

This preparation contains Codeine and should be dispensed only by or on the prescription of a physician.

As this medicine contains Codeine, it will add to the effects of alcohol and other medicines that slow down the nervous system, for example: medicine for hay fever (antihistamine), tranquilizers, sedatives, narcotics, medicine for depression and anesthetics.

Do not use if high blood pressure, heart disease, diabetes, or thyroid disease is present unless directed by a physician.

Ephedrine may cause urinary retention, especially in the presence of partial obstruction.

DRUG INTERACTIONS

The depressant effect of Codeine may be enhanced by the concurrent administration of sedatives and tranquilizers.

Please inform your physician of any medications you are taking, including those available without a prescription.

PREGNANCY AND NURSING

If you are pregnant or are a nursing mother, please consult with your physician prior to using this medication.

SIDE EFFECTS

Should any troublesome or unusual symptoms develop, a doctor should be consulted.

Drowsiness and nervousness may occur.

STORAGE CONDITIONS

Store in a dry place below 30°C, protected from light.

Do not refrigerate.

Do not use after expiry date.

PRESENTATION

Dulsana[®] with Codeine cough syrup is available in bottles of one hundred milliliters.

This is a medicament

-A medicament is a product which affects your health, and its consumption contrary to instructions is dangerous for you.

-Follow strictly the doctor's prescription, the method of use and the instructions of the pharmacist who sold the medicament.

-The doctor and the pharmacist are experts in medicine, its benefits and risks.

-Do not by yourself interrupt the period of treatment prescribed.

-Do not repeat the same prescription without consulting your doctor.

KEEP MEDICAMENT OUT OF REACH OF CHILDREN

Manufactured in Zouk Mosbeh, Lebanon, by

ALGORITHM S.A.L

®Registered Trademark

P1632X-01

Rev. No. 06/06

