

CREM-O-SULFA® 5% Cream

Dear patient,

Please read the following instructions carefully. They contain important information about the use of this medicine. If you have any further questions, please ask your doctor or pharmacist.

Information about CREM-O-SULFA

CREM-O-SULFA cream is a topical preparation containing 5% sulfathiazole, a sulfonamide antibacterial agent that acts against bacteria affecting your skin.

CREM-O-SULFA is applied topically for the treatment of:

- Sunburns, second and third degree burns
- superficial skin infections: acne, pyoderma, erysipelas, furuncles, folliculitis, abscesses, secondary infections in dermatosis, insect stings and bites
- infected wounds, incisions, abrasions and other injuries to the skin
- chronic skin ulcers
- infected cavities

CREM-O-SULFA is also used for the prevention of bacterial complications following cervical cauterization, vaginal surgery, after radiation therapy of the cervix and vagina.

CREM-O-SULFA is effective in trichomoniasis, non-specific vaginitis and post-partum hygiene. It relieves the discomfort of vaginal discharge, itching and burning.

In cervicitis, it is suggested that CREM-O-SULFA be used after electrosurgery to accelerate healing and to prevent the usual sequelae such as pruritus, burning and discharge.

CREM-O-SULFA provides a rapid healing and relief of pain.

The way to use CREM-O-SULFA

Clean the affected area. Impregnate sterile gauze with CREM-O-SULFA aseptically and use the resulting impregnated gauze as follows:

For burns and superficial infections, apply impregnated gauze or apply directly the cream.

For abscesses and infected cavities, pack with moderate firmness the cavity with CREM-O-SULFA impregnated gauze.

In general, the impregnated gauze, once applied on a clean surface, may be maintained up to 72 hours.

In case of overdose

If you suspect an overdose, or if the cream has been ingested, inform your doctor.

In case of missed dose

Apply the missed dose as soon as you remember.

Contraindications

This cream should not be used in case of hypersensitivity to any of the components.

Precautions

- This medication is for external use only. Avoid contact with the eyes or the mouth.
- You should avoid sources of infection or reinfection.
- Ask your doctor before using this cream in case of pregnancy or lactation.
- Notify your doctor if you develop any hypersensitivity reactions.

Association with other medications

Please inform your doctor if you are using any other medication. Do not put cosmetics or other skin products over the treated area unless directed by your physician.

Adverse reactions

This cream is usually well tolerated. Localized irritation or allergic reactions have been rarely reported.

Storage

Store at controlled room temperature (up to 25°C), protected from light and humidity, beyond the reach of children.

The expiry date is printed on the pack; don't use this medicine after this date.

Pack presentation

CREM-O-SULFA cream, 5% sulfathiazole, tube of 20 grams

Revision date: 01/2006

CRER5/002