Miconaz® Topical Gel Brand of Miconazole Nitrate, USP Antifungal

DESCRIPTION: *Miconaz**, brand of miconazole nitrate, formulated into a gel intended for topical use against susceptible fungi.

ACTIONS: Miconaz® acts by inhibiting the growth of the common dermatophytes: Trichophyton rubrum, mentagrophytes, and Epidermophyton floccosum; the yeast - like fungus, Candida albicans; and the organism responsible for tinea versicolor (Malassezia furfur).

INDICATIONS: *Miconaz*® is indicated for the treatment of fungal infections of the skin in tinea pedis (athlete's foot), tinea corporis, tinea cruris, cutaneous candidiasis and tinea versicolor.

CONTRAINDICATIONS: Hypersensitivity to Miconazole nitrate.

PRECAUTIONS: Should a reaction suggesting chemical irritation or sensitivity develop, discontinue use immediately. Avoid contact with eyes.

- Miconaz® potentializes the effects of coumarin-type anticoagulants and of hypoglycaemic sulfamides, the anticoagulant level should be carefully monitored and adapted.
- Miconaz[®] may rise phenytoin-serum concentrations, it is advisable to monitor both levels if they are used concomitantly.
- Pregnancy and lactation: no evidence of teratogenic effects in animals, prescription during pregnancy should be outweighed with the expected benefits.

Caution should be applied when prescribing Miconaz® to nursing women.

Topical doco

ADVERSE REACTIONS: Skin rash, burning, redness and allergic contact dermatitis have occasionally been reported.

DOSAGE & ADMINISTRATION:

| Topical dose | |
|--|---|
| Indication | Adults & Children |
| Tinea pedis (Athlete's foot) | Apply twice daily for at least 1 month. |
| Tinea cruris, tinea corporis and cutaneous candidiasis | Apply twice daily for at least 2 weeks. |
| Tinea versicolor | Apply once daily as directed. |

AVAILABILITY:

Gel 2%: Tubes of 30 gm containing in each gram miconazole nitrate 20 mg. Excipient q.s. 1 gm Reg.Nº Lebanon: 26580

This is a medicament

Pharmaline - Lebanon

- -A medicament is a product which affects your health, and its consumption contrary to instructions is dangerous for you.
- -Follow strictly the doctor's prescription, the method of use and the instructions of the pharmacist who sold the medicament.
- -The doctor and the pharmacist are experts in medicine, its benefits and risks.
- -Do not by yourself interrupt the period of treatment prescribed for you.
- -Do not repeat the same prescription without consulting your doctor.

Keep medicaments out of reach of children

Council of Arab Health Ministers
Union of Arab Pharmacists