

DOLORAZ®

Softgel Capsule Ibuprofen 400 mg B.P.



WHAT IS DOLORAZ?

DOLORAZ is a soft gelatin capsule which contains ibuprofen 400mg B.P., a nonsteroidal anti-inflammatory agent with a pronounced analgesic, antipyretic and anti-inflammatory action.

DOLORAZ relieves pain and stiffness, reduces joint swelling and provides progressive improvement in the functional capacity of arthritic patients.

HOW IT WORKS?

DOLORAZ inhibits synthesis of prostaglandins and blocks receptors of pain. Being in a soft gelatin capsule form, it is absorbed rapidly from Gastro-intestinal tract and distributed quickly in the tissues.

Peak plasma level is attained within 40 minutes. The excretion is rapid and complete, more than 90% of the absorbed dose is excreted in urine as metabolites or their conjugates.

WHAT IS IT USED FOR?

DOLORAZ as analgesic is indicated to relieve pain such as: headache, migraine, toothache, low backpain, primary dysmenorrhea (period pain), and post operative pain.

DOLORAZ as antipyretic is used in fever conditions, particularly those associated with inflammation e.g tonsillitis, follicular tonsillitis, and otitis media.

DOLORAZ is used to control signs and symptoms of pain due to rheumatoid arthritis, osteoarthritis, gouty and allied conditions.

WHAT IS THE DOSE?

The usual recommended dose:

- For pain and fever one soft gelatin capsule of DOLORAZ 1-3 times daily.
- For rheumatoid arthritis and allied conditions the dose given depends on disease condition but not more than 2400mg daily in divided doses. For maintenance, the dose should be adjusted to 3-4 capsules daily.
- It is recommended to take DOLORAZ with food or milk.

WHAT PRECAUTIONS ARE NEEDED?

Patients taking warfarin or digoxin should consult their doctors to adjust the dose. Caution should be considered if ibuprofen is given with thiazide diuretics concomitantly.

WHAT ARE THE CONTRAINDICATIONS?

As with other ibuprofen products, patients with a history of peptic ulcer, gastritis, or renal function impairment should not take this drug.

DOLORAZ should not be given to patients in whom aspirin and other NSAIDs induce symptoms of asthma, rhinitis or urticaria.

COULD IT BE USED DURING PREGNANCY AND LACTATION?

Whilst no teratogenic effect have been demonstrated in animal experiments, the use of DOLORAZ during pregnancy should be avoided. Ibuprofen appears in breast milk in very low concentration and unlikely to affect the breast-fed infant adversely.

WHAT ARE THE SIDE EFFECTS?

Generally DOLORAZ is well-tolerated. However low incidence of side effects may occur such as: skin rash, dyspepsia and other GI disturbances, and blurred vision. These side effects disappear on stopping the drug.

HOW IS IT SUPPLIED?

DOLORAZ is available in packs of 20 soft gelatin capsule.

And packs of 500 soft gelatin capsule.

HOW TO STORE?

- Store at temperature between 15-25°C, in dry place.
- Keep the product away from direct sun light.

THIS IS A MEDICAMENT

- Medicament is a product which affects your health, and its consumption contrary to instructions is dangerous for you.
- Follow strictly the doctor's prescription, the method of use and the instructions of the pharmacist who sold the medicament.
- The doctor and the pharmacist are experts in medicines, its benefits and risks.
- Do not by yourself interrupt the period of treatment prescribed for you.
- Do not repeat the same prescription without consulting your doctor.

● Keep all medicament out of reach of children



Manufactured by
ALRAZI PHARMACEUTICAL INDUSTRIES CO.(PLC)
Amman - Jordan

1/9901