

# DEXERYL®

Glycerol, white soft paraffin, liquid paraffin

Cream

**1. IDENTIFICATION OF THE DRUG.** Name: DEXERYL, cream. Composition : Active substances : Glycerol 15.000 g, White soft paraffin 8.000 g, Liquid paraffin 2.000 g q.s. 100g. Excipients : Glycerol monostearate, stearique acid, polydimethylcyclsiloxane, silicone oil, macrogol 600, trolamin, propyl parahydroxybenzoate (E216), purified water. **Pharmaceutical form:** Cream in tube. **Pharmacotherapeutic class :** PROTECTIVES (D. DERMATOLOGICALS). **Distributor:** PIERRE FABRE DERMATOLOGIE - 45 Place Abel Gance - 92100 Boulogne - France. **Manufacturer:** PIERRE FABRE MEDICAMENT PRODUCTION - 45 place Abel Gance - 92100 Boulogne - France.

**2. WHEN TO USE THIS DRUG.** This drug is recommended:

- As a backup treatment for skin dryness in specific dermatosis such as atopic dermatitis, ichthyosis, psoriasis.
- As a backup treatment for small superficial burns.

**3. WARNING ! When to not use this drug:** This drug must not be used if you are allergic to one of its components. **WHEN IN DOUBT, YOU MUST SEEK THE ADVICE OF YOUR DOCTOR OR PHARMACIST.**

**Precautions for use:** **WHEN IN DOUBT, DO NOT HESITATE TO ASK ADVICE OF YOUR DOCTOR OR PHARMACIST.** **Drug interactions and other interactions:** **IN ORDER TO PREVENT POSSIBLE INTERACTIONS BETWEEN SEVERAL DRUGS, YOU MUST SYSTEMATICALLY INFORM YOUR DOCTOR OR PHARMACIST OF ANY OTHER UNDERGOING TREATMENT.** **Pregnancy and breast-feeding:** If you are pregnant or breastfeeding , you should always seek the advice of your doctor or pharmacist before undergoing any treatment. **List of excipients which requires awareness for a risk-free use in some patients:** Propyl parahydroxybenzoate.

**4. HOW TO USE THIS DRUG.** **Posology :** Apply a thin layer of cream to the damaged skin once or twice daily, or more if needed. **Method of administration:** skin application.

**5. UNDESIRABLE EFFECTS.** Rare allergic cutaneous reactions of eczema types and exceptionally, immediate reactions with urticaria may occur due to the presence of propyl parahydroxybenzoate.

**6. SHELF LIFE.** Do not exceed the expiry date printed on this packaging. **Particular storage precautions:** This drug must not be kept at temperature above 30°C.

The last revision date of this leaflet is : December 2004.

718576



Pierre Fabre