

OTOCOL

Ear Drops



Composition: Each ml of **Otocol** contains:

Chloramphenicol 50 mg

Benzocaine 50 mg

Excipient: Propylene glycol

Properties:

Otocol combines chloramphenicol which is a broad – spectrum antibiotic with benzocaine which is a local anesthetic drug. This combination is effective in the treatment of otic infections and alleviation of pain and discomfort in acute otitis media.

Indications:

Otocol is indicated for the treatment of superficial infection of the external auditory canal caused by susceptible strains of various gram–positive and gram–negative organisms.

Dosage:

Usual dosage of **Otocol**: Instill 2 to 3 drops into the ear three times daily.

Contraindications:

Otocol is Contraindicated in persons sensitive to any of its components.

Side Effects:

After prolonged and extensive use allergic sensitization and secondary bacterial and fungal infections have been reported.

Storage: Store between 15–25°C, protect from light and discard bottle one month after opening.

Presentation: 10 ml plastic dropper bottle.

THIS IS A MEDICAMENT

- Medicament is a product which affects your health, and its consumption contrary to instructions is dangerous.
- Follow strictly the doctor's prescription, the method of use and the instructions of pharmacist who sold the medication.
- The doctor and the pharmacist are experts in medicine, its benefits and risks.
- Do not by yourself interrupt the period of treatment prescribed for you.
- Do not repeat same prescription without consulting your doctor.
- Keep medicament out of reach of children.

COUNCIL OF ARAB HEALTH MINISTERS
UNION OF ARAB PHARMACISTS