

## ALOCLAIR® GEL

Aloclair Gel containing aloe vera extract, has a mechanical action which provides pain relief by adhering to the oral mucosa surface, protecting the lesion from further irritation.

### INDICATIONS


Aphthous ulcers, aphthous stomatitis, minor lesions, including traumatic lesions caused by braces and ill-fitting dentures.

### COMPOSITION

Aqua, polyvinylpyrrolidone (PVP), maltodextrin, propylene glycol, PEG-40 hydrogenated castor oil, xanthan gum, potassium sorbate, sodium benzoate, aroma, EDTA, benzalkonium chloride, sodium hyaluronate, saccharin sodium, glycyrrhetic acid, aloe barbadensis.

### DOSAGE AND ADMINISTRATION

- Apply 1 or 2 drops of gel so as to cover the whole mouth ulcer or lesion.
- Avoid direct contact of the applicator with the lesion.
- Do not touch the lesion with the tongue for at least 2 minutes so as to allow for the protective film to form.
- Close the cap after each application.
- Use 3-4 times a day, or as needed and avoid eating or drinking for at least 1 hour after application.



### WARNINGS

The use of Aloclair Gel is contraindicated in patients with a known history of hypersensitivity to any of the ingredients.

### PRECAUTIONS

Do not use the product if the package appears damaged.

### STORAGE

Store below 25°. Do not refrigerate, keep out of the reach of children.



Aloclair is a trademark of Sinclair Pharmaceuticals Limited.  
Manufactured by:  
Sinclair Pharma Srl, Viale Restelli 29, 20124 Milan, Italy.  
For  
HIKMA Pharmaceuticals, Amman - Jordan



BH032979/1-A

Keep medicament out of the reach of children  
2INACRG-AE-12/2008

