

FUCIMED®

Cream / Ointment



COMPOSITION:

Each 1gm cream contains: fusidic acid 20mg in cream base

Each 1gm ointment contains: sodium fusidate 20mg in ointment base.

PROPERTIES:

fucidic acid/ sodium fusidate is an antibiotic agent, it acts by inhibiting bacterial protein synthesis produced by the growth of certain strains of fusidium coccineum.

Fucimed cream/ointment is powerful antibacterial activity against a number of gram – positive organisms staphylococci including the strains resistant to penicillin or to other antibiotics.

INDICATION:

Fucimed indicated for treatment of the following skin infections caused by susceptible organisms, staphylococci, streptococci, corynebacterium minutissimum and other sensitive organisms.

Most important indications are:

Impetigo, Boils, Carbuncles, Paronychia,
Infected wounds, Sycosis barbae, Hidradenitis,
Erythrasma, Folliculitis and Acne vulgaris.

CONTRA-INDICATIONS:

Infections caused by non-susceptible organisms especially Pseudomonas aeruginosa.

Hypersensitivity to any of its components.

APPLICATION:

Fucimed cream / ointment is applied to the affected area 2 – 3 times daily for a period of 7 days, as for acne, the duration of treatment may be extended for more than 7 days according to the nature of the disease.

SIDE EFFECTS:

Fucimed is well-tolerated, local hypersensitivity reactions may rarely occur.

Skin rashes, mild stinging and irritation have been reported rarely.

PREGNANCY & LACTATION:

The use of topical fucidic acid in pregnancy requires that the potential benefits be weighed against the possible hazards to the fetus.

Safety in nursing mothers have not been established.

PRECAUTIONS:

It is advisable to limit the use of topically applied antibiotics to conditions in which systemic antibiotics are not to be used.

Contact with the eye should be avoided may cause of irritation if it gets into the eye.

STORAGE:

Store below 25°C.

Do not refrigerate.

Keep out of reach of children.

- ♦ Do not use after the expiry date stated on the label.
- ♦ Do not use if there is any physical change on the product.

PACKAGING PRESENTATIONS:

Fucimed cream: collapsible aluminum tube of 15gm.

Fucimed ointment: collapsible aluminum tube of 15gm.

THIS IS A MEDICAMENT

Medicament is a product which affects your health, and its consumption contrary to instructions is dangerous for you.

Follow strictly the doctor's prescription, the method of use and the instructions of the pharmacist who sold the medicament.

- The doctor and the pharmacist are experts in medicines, their benefits and risks.
- Do not by yourself interrupt the period of treatment prescribed.
- Do not repeat the same prescription without consulting your doctor.
- Keep all medicaments out of reach of children.

Council of Arab Health Ministers
Union of Arab Pharmacists

Mfd. by:

MEDPHARMA

PHARMA. & CHEM. IND'S (L.L.C.)

SHARJAH-U.A.E.

PK/LF/027/R1

Last Rev. Date: 05/2006