# Ibugesic Cold & Sinus



# Ibuprofen and Pseudoephedrine Hydrochloride

#### **DESCRIPTION:**

Ibugesic® Cold & Sinus contains ibuprofen and pseudoephedrine hydrochloride and it is an analgesic and decongestant medication.

## Inactive ingredients:

Pregelatinized starch, croscarmellose sodium, microcrystalline cellulose, sodium laurilsulphate, povidone, carmellose sodium, colloidal anhydrous silica, stearic acid, hypromellose, titanium dioxide, macrogol, sunset yellow FCF (E110), ponceau 4R red (E124).

#### INDICATIONS:

For effective relief of the symptoms of colds and sinusitis including sinus pain, nasal congestion, headache, fever, and body aches and pains.

#### WARNINGS AND PRECAUTIONS:

Keep out of the reach of children. This package contains enough medicine to seriously harm a child.

Do not give to children aged 2-12 unless directed by a physician.

Do not give to children under 2 years of age. Do not take this medication if taking acetylsalicylic acid (ASA) or if allergic to ASA, ibuprofen, other salicylates or anti-inflammatory drugs, or any of its ingredients.

Consult your physician before taking this medication if you have peptic ulcers, asthma, diabetes, high blood pressure, heart, thyroid, kidney or liver disease, glaucoma, difficulty in urination due to prostate enlargement, any other serious disease, or are taking any other drug, Do not take this medication if you are pregnant or nursing a baby, unless directed by a physician. Consult your physician if the symptoms persist for more than 5 days. Do not exceed the recommended dose unless advised by a physician.

If abdominal pain, heartburn, nausea or vomiting, bloating, diarrhea or constipation, ringing or buzzing in the ears, nervousness, sleeplessness, dizziness, any change in vision, fluid retention, itching, skin rashes or any other side effect or unexplained symptom develops while taking this medication, discontinue use immediately and contact a physician. In case of overdose, call a hospital or a doctor at once even if there are no symptoms.

#### DOSAGE AND ADMINISTRATION:

Adults and children over 12: 1 or 2 tablets every four hours as needed. Do not exceed six tablets in 24 hours, unless directed by a physician.

## PRESENTATIONS:

Ibugesic® Cold & Sinus Tablets: Packs of 20 film coated tablets. Each tablet contains 200 mg Ibuprofen and 30 mg Pseudoephedrine HCl.

#### STORAGE CONDITIONS:

Store in a dry place below 30°C.

This is a medicament.

Medicament is a product which affects your health, and its consumption contrary to instructions is dangerous for you.

• Follow strictly the doctor's prescription, the method of use, and the instructions of the pharmacist who sold you the medicament.

The doctor and the pharmacist are experts in medicine, its benefits and its risks.

Do not, by yourself, interrupt the period of treatment prescribed.

Do not repeat the same prescription without consulting your doctor.